

Supplement of Atmos. Chem. Phys., 18, 16293–16324, 2018
<https://doi.org/10.5194/acp-18-16293-2018-supplement>
© Author(s) 2018. This work is distributed under
the Creative Commons Attribution 4.0 License.



Supplement of


Acid gases and aerosol measurements in the UK (1999–2015): regional distributions and trends

Y. Sim Tang et al.


Correspondence to: Y. Sim Tang (yst@ceh.ac.uk)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

5




Supp. Figure S1: Left: DENuder for Long-Term Atmospheric sampling (DELTA) as applied for the monthly measurements of reactive gases and particulate matter composition in the UK Acid Gases and Aerosol Network (AGANet), with sampling train *in situ*. Right: sampling train consisting of 2 x 15 cm long K_2CO_3 + glycerol coated denuders (determination of HNO_3 , SO_2 , HCl), 2 x 10 cm long acid coated denuders (determination of NH_3), carbonate coated filter (determination of NO_3^- , SO_4^{2-} , Cl^- , Na^+ , Ca^{2+} , Mg^{2+}) and acid coated filter (determination of evolved NH_4^+).




5

Supp. Figure S2: Scatter plots between concentrations of (a) non-sea salt sulphate (nss_SO4) vs NH_4^+ , and (b) non-sea salt chloride (nss_Cl) vs Na^+ from mean monthly measurements (1999-2015) for the 12 sites in the UK Acid Gas and Aerosol Monitoring Network (AGANet) that were operational over the whole period. NH_3 and NH_4^+ data are from the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) made at the same time.

10




Supp. Figure S3: Time series trend analysis by non-parametric Mann-Kendall Sen slope and by parametric linear regression on monthly mean gas and aerosol concentration data from the UK Acid Gases and Aerosol Monitoring Network (AGANet) for the 12 sites that were operational over the period 2000 to 2015. NH_3 and NH_4^+ concentrations data measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also included for comparison. Individual data points are monthly mean concentrations across 12 sites.




5

Supp. Figure S4: Time series trend analysis by non-parametric Mann-Kendall Sen slope and by parametric linear regression on monthly mean gas and aerosol concentration data from the UK Acid Gases and Aerosol Monitoring Network (AGANet) for the 30 sites that were operational over the period 2006 to 2015. NH₃ and NH₄⁺ concentrations data measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tanget al., 2018) are also included for comparison. Individual data points are monthly mean concentrations across 30 sites.

10




5 **Supp. Figure S5:** Monthly mean concentrations in gaseous HNO_3 , SO_2 , HCl and aerosol NO_3^- , SO_4^{2-} , Cl^- from the UK Acid Gases and Aerosol Monitoring Network (AGANet) over the period 2006 - 2015. Monthly mean concentrations of NH_3 and NH_4^+ that were measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also shown for comparison. Each data point in the graphs represents the mean of monthly measurements of 30 sites operational in the network over the period 2006 to 2015.




5

Supp. Figure S6: Time-series trend analysis by non-parametric Mann-Kendall Sen slope and by parametric linear regression on annually averaged gas and aerosol concentration data from the UK Acid Gases and Aerosol Monitoring Network (AGANet) of 12 sites that were operational over the period 2000 to 2015. NH₃ and NH₄⁺ concentrations measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tanget al., 2018) are also included for comparison.

10



5 **Supp. Figure S7:** Time series trend analysis by non-parametric Mann-Kendall Sen slope and by parametric linear regression on annually averaged gas and aerosol concentration data from the UK Acid Gases and Aerosol Monitoring Network (AGANet) of 30 sites that were operational over the period 2006 to 2015. NH_3 and NH_4^+ concentrations data measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also included for comparison.



Supp. Figure S8: UK annual mean temperature and rainfall (data source: <https://www.metoffice.gov.uk/climate/uk/summaries>)

Supp. Table S1: Major ions measured in DELTA extracts and typical limits of detection (LOD).

Analytes (denuder aqueous extracts)	Harwell Laboratory (Sep99 – Jun09)		CEH Lancaster (from Jul09)	
	Analytical Method	Typical LOD ($\mu\text{g m}^{-3}$)	Analytical Method	Typical LOD ($\mu\text{g m}^{-3}$)
NO_3^-	IC	0.05 (HNO_3)	IC	0.05 (HNO_3)
NO_2^-	Colorimetry	0.05 (HONO)	IC	0.05 (HONO)
SO_4^{2-}	IC	0.05 (SO_2)	IC	0.05 (SO_2)
Cl^-	IC	0.05 (HCl)	IC	0.05 (HCl)

Supp. Table S2: Major ions measured in aerosol filter extracts and typical limits of detection (LOD).

Analytes (aerosol filter aqueous extracts)	Harwell Laboratory (Sep99 – Jun09)		CEH Lancaster (from Jul09)	
	Method	Typical LOD ($\mu\text{g m}^{-3}$)	Method	Typical LOD ($\mu\text{g m}^{-3}$)
NO_3^-	IC	0.05 (NO_3^-)	IC	0.06 (NO_3^-)
NO_2^-	Colorimetry	0.05 (NO_2^-)	IC	0.05 (NO_2^-)
SO_4^{2-}	IC	0.06 (SO_4^{2-})	IC	0.06 (SO_4^{2-})
Cl^-	IC	0.08 (Cl^-)	IC	0.16 (Cl^-)
Ca^{2+}	IC (Sep99-Jun08)	0.05	ICP-OES	0.09
Mg^{2+}	IC (Sep99-Jun08)	0.05	ICP-OES	0.05
Na^+	IC (Sep99-Jun08)	0.1	ICP-OES	0.16
Ca^{2+}	ICP-AES (Jul08-Jun09)	0.05		
Mg^{2+}	ICP-AES (Jul08-Jun09)	0.05		
Na^+	ICP-AES (Jul08-Jun09)	0.1		

5

Supp. Table S3: Calculated lengths of chemically impregnated denuders (borosilicate glass tubes, 10 mm o.d, 0.65 mm i.d) to capture 95 % of gas of interest at a flow rate of 0.4 LPM under laminar flow.

Reactive gas	HNO_3	SO_2	HCl	NH_3
Diffusion coefficient @ 10°C	$1.15 \times 10^{-5} \text{ m}^2 \text{ s}^{-1}$ (Massmana 1998)	$1.22 \times 10^{-5} \text{ m}^2 \text{ s}^{-1}$ (Durham & Stockburger 1986)	$5.25 \times 10^{-5} \text{ m}^2 \text{ s}^{-1}$ (Mumallah 1986)	$2.01 \times 10^{-5} \text{ m}^2 \text{ s}^{-1}$ (Hargreaves & Atkins, 1986)
L (cm): for 95 % capture efficiency at flow rate of 0.4 LPM	14	13	3	8

Note: 10 cm and 15 cm long denuders are used in the UK National Ammonia Monitoring Network (NAMN) and UK Acid Gases and Aerosol network (AGANet) to sample NH_3 and acid gases (HNO_3 , SO_2 , HCl), respectively.

10

Supp. Table S4: Summary of Mann-Kendall (MK) and Linear Regression (LR) time series trend analysis on annually averaged gas and aerosol concentrations from the UK Acid Gases and Aerosol Monitoring Network (AGANet) for the 12 sites that were operational over the period 2000 to 2015. NH₃ and NH₄⁺ concentrations measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also included for comparison. For the MK tests, the 95% confidence interval (CI) for the median trend and relative change are also estimated.

5

2000 - 2015 (12 sites: annual data)	Mann-Kendall (MK)		Linear Regression (LR)		
	^a Median annual trend & [95% CI] (µg y ⁻¹)	^b Relative median change 2000-2015 & [95% CI] (%)	^c Annual Trend (µg NH ₃ y ⁻¹)	^d Relative change 2000-2015 [%]	R ²
HNO ₃	-0.0135 [-0.0067, -0.0180]	-45** [-26, -55]	-0.0126	-42**	0.549
SO ₂	-0.1010 [-0.0729, -0.1250]	-81*** [-72, -91]	-0.1069	-84***	0.894
HCl	-0.0057 [-0.0020, -0.0100]	-28*** [-11, -42]	-0.0055	-26**	0.469
NH ₃	-0.0300 [-0.0125, -0.0433]	-30** [-13, -39]	-0.0312	-30***	0.611
NO ₃ ⁻	-0.0810 [-0.0520, -0.1125]	-52** [-37, -63]	-0.0794	-51***	0.557
SO ₄ ²⁻	-0.0750 [-0.0450, -0.0988]	-69** [-52, -82]	-0.0757	-70***	0.786
Cl ⁻	0.0079 [-0.0088, 0.0236]	9.6 ^{ns} [-9.5, 33]	0.0097	+12 ^{ns}	0.143
NH ₄ ⁺	-0.0500 [-0.0375, -0.0675]	-62** [-51, -74]	-0.0529	-64***	0.754

Significance level: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$, ^{ns} non-significant ($p > 0.05$)

^aMedian annual trend = fitted Sen's slope of Mann-Kendall linear trend (unit = µg y⁻¹)

^bRelative median change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the Sen's slope and intercept (=100*[($y_i - y_0$) / y_0])

^cAnnual trend = fitted slope of linear regression (unit = µg NH₃ y⁻¹)

^dRelative change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the slope and intercept (=100*[($y_i - y_0$) / y_0])

10

Supp. Table S5: Summary of Mann-Kendall (MK) and Linear Regression (LR) time series trend analysis on annually averaged gas and aerosol concentrations from the UK Acid Gases and Aerosol Monitoring Network (AGANet) for the 30 sites that were operational over the period 2006 to 2015. NH₃ and NH₄⁺ concentrations data measured at the same time from the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also included for comparison. For the MK tests, the 95% confidence interval (CI) for the median trend and relative change are also estimated.

5

2006 - 2015 (30 sites: annual data)	Mann-Kendall (MK)		Linear Regression (LR)		
	^a Median annual trend & [95% CI] (µg NH ₃ y ⁻¹)	^b Relative median change 2000-2015 & [95% CI] (%)	^c Annual Trend (µg NH ₃ y ⁻¹)	^d Relative change 2000-2015 [%]	R ²
HNO ₃	-0.0167 [-0.0075, -0.0200]	-36* [-18, -41]	-0.0137	-30*	0.542
SO ₂	-0.0717 [-0.0300, -0.0108]	-60*** [-33, -73]	-0.0731	-60***	0.788
HCl	-0.0088 [0.0000, -0.0200]	-24* [0.0, -47]	-0.0073	-21 ^{ns}	0.371
NH ₃	-0.0312 [0.0033, -0.0625]	-18 ^{ns} [+2.0, -31]	-0.0366	-21*	0.459
NO ₃ ⁻	-0.0900 [-0.0580, -0.1300]	-43*** [-30, -56]	-0.0809	-39***	0.871
SO ₄ ²⁻	-0.0675 [-0.0233, -0.1167]	-54** [-25, -78]	-0.0646	-53***	0.718
Cl ⁻	-0.0075 [+0.0167, -0.0300]	-4.2 ^{ns} [+12, -16]	-0.0086	-4.9 ^{ns}	0.091
NH ₄ ⁺	-0.0480 [0.0267, -0.0700]	-49** [-33, -64]	-0.0462	-48***	0.790

Significance level: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$, ^{ns} non-significant ($p > 0.05$)

^aMedian annual trend = fitted Sen's slope of Mann-Kendall linear trend (unit = µg y⁻¹)

^bRelative median change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the Sen's slope and intercept (=100*[($y_i - y_0$) / y_0])

^cAnnual trend = fitted slope of linear regression (unit = µg NH₃ y⁻¹)

^dRelative change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the slope and intercept (=100*[($y_i - y_0$) / y_0])

15

5 **Supp. Table S6:** Comparison of % change in estimated UK NO_x, SO₂ and NH₃ emissions reported by the National Atmospheric Emission Inventory (NAEI) (data from <http://naei.defra.gov.uk/>) with % change between 2000-2015 (12 sites with complete time series) and between 2006-2015 (30 sites with complete time series) in annually averaged HNO₃ / NO₃⁻ and SO₂ / SO₄²⁻ concentrations from the UK Acid Gas and Aerosol Monitoring Network (AGANet), and annually averaged NH₃/NH₄⁺ concentrations from the UK National Ammonia Monitoring Network (NAMN, Tanget al., 2018).

Components	2000 – 2015 (12 sites)			2006 – 2015 (30 sites)		
	UK emissions % change	MK Sen Slope % relative median change ^a	LR % relative change ^b	UK emissions % change	MK Sen slope % relative median change ^a	LR % relative change ^b
Gas HNO ₃	-58 (NO _x)	-45**	-42**	-41 (NO _x)	-36*	-43*
Particulate NO ₃		-52***	-51***		-30**	-39***
Gas SO ₂	-80 (SO ₂)	-81***	-84***	-64 (SO ₂)	-60***	-60***
Particulate SO ₄ ²⁻		-69***	-70***		-54**	-53***
Gas NH ₃	-10 (NH ₃)	-30**	-30***	-3.5 (NH ₃)	-18 ^{ns}	-21*
Particulate NH ₄ ⁺		-62***	-64***		-49**	-48***

Significance level: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$, ^{ns} non-significant ($p > 0.05$)

Supp. Table S7: Summary of Mann-Kendall (MK) and Linear Regression (LR) time series trend analysis on monthly mean gas and aerosol concentration data from the UK Acid Gases and Aerosol Monitoring Network (AGANet) for the 12 sites that were operational over the period 2000 to 2015. NH₃ and NH₄⁺ concentrations measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also included for comparison. For the MK tests, the 95% confidence interval (CI) for the median trend and relative change are also estimated.

5

2000 - 2015 (12 sites: monthly data)	Mann-Kendall (MK)		Linear Regression (LR)		
	^a Median annual trend & [95% CI] (µg NH ₃ y ⁻¹)	^b Relative median change 2000-2015 & [95% CI] (%)	^c Annual Trend (µg NH ₃ y ⁻¹)	^d Relative change 2000-2015 [%]	R ²
HNO ₃	-0.0132 [-0.0096, -0.0156]	-46*** [-36, -52]	-0.0128	-43***	0.219
SO ₂	-0.0972 [-0.0864, -0.1080]	-87*** [-82, -90]	-0.1078	-89***	0.614
HCl	-0.0060 [-0.0036, -0.0084]	-29*** [-19, -40]	-0.0058	-28***	0.127
NH ₃	-0.0324 [-0.0168, -0.0468]	-35*** [-20, -46]	-0.0325	-32***	0.068
NO ₃ ⁻	-0.0720 [-0.0528, -0.0900]	-54*** [-44, -63]	-0.0839	-55***	0.167
SO ₄ ²⁻	-0.0708 [-0.0600, -0.0804]	-73*** [-66, -77]	-0.0770	-74***	0.458
Cl ⁻	0.0096 [-0.0048, 0.0252]	+13 ^{ns} [-5.7, +36]	+0.0085	+11 ^{ns}	0.007
NH ₄ ⁺	-0.0456 [-0.0360, -0.0552]	-66*** [-57, -74]	-0.0516	-65***	0.257

Significance level: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$, ^{ns} non-significant ($p > 0.05$)

^aMedian annual trend = fitted Sen's slope of Mann-Kendall linear trend (unit = µg y⁻¹)

^bRelative median change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the Sen's slope and intercept (=100*[($y_i - y_0$) / y_0])

^cAnnual trend = fitted slope of linear regression (unit = µg NH₃ y⁻¹)

^dRelative change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the slope and intercept (=100*[($y_i - y_0$) / y_0])

10

Supp. Table S8: Summary of Mann-Kendall (MK) and Linear Regression (LR) time series trend analysis on monthly mean gas and aerosol concentration data from the UK Acid Gases and Aerosol Monitoring Network (AGANet) for the 30 sites that were operational over the period 2006 to 2015. NH₃ and NH₄⁺ concentrations measured at the same time in the UK National Ammonia Monitoring Network (NAMN, Tang et al., 2018) are also included for comparison. For the MK tests, the 95% confidence interval (CI) for the median trend and relative change are also estimated.

5

2006 - 2015 (30 sites: monthly data)	Mann-Kendall (MK)		Linear Regression (LR)		
	^a Median annual trend & [95% CI] (µg NH ₃ y ⁻¹)	^b Relative median change 2006-2015 & [95% CI] (%)	^c Annual Trend (µg NH ₃ y ⁻¹)	^d Relative change 2006-2015 [%]	R ²
HNO ₃	-0.0144 [-0.0072, -0.0204]	-34*** [-18, -44]	-0.0146	-32***	0.134
SO ₂	-0.0732 [-0.0564, -0.0924]	-67*** [-59, -74]	-0.0749	-65***	0.370
HCl	-0.0084 [-0.0036, -0.0120]	-25** [-11, -33]	-0.0084	-24***	0.109
NH ₃	-0.0360 [-0.0036, -0.0696]	-22* [-26, -39]	-0.0425	-24*	0.047
NO ₃ ⁻	-0.0696 [-0.0408, -0.0101]	-41*** [-26, -54]	-0.0875	-44***	0.150
SO ₄ ²⁻	-0.0600 [-0.0432, -0.0768]	-55*** [-44, -64]	-0.0674	-58***	0.364
Cl ⁻	-0.0108 [-0.0228, -0.0432]	-6 ^{ns} [-14, +23]	-0.0111	-6 ^{ns}	0.004
NH ₄ ⁺	-0.0396 [-0.0024, -0.0588]	-51*** [-35, -64]	-0.0480	-52***	0.186

Significance level: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$, ^{ns} non-significant ($p > 0.05$)

^aMedian annual trend = fitted Sen's slope of Mann-Kendall linear trend (unit = µg y⁻¹)

^bRelative median change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the Sen's slope and intercept (=100*[($y_i - y_0$) / y_0])

^cAnnual trend = fitted slope of linear regression (unit = µg NH₃ y⁻¹)

^dRelative change calculated based on the estimated annual concentration at the start (y_0) and at the end (y_i) of time series computed from the slope and intercept (=100*[($y_i - y_0$) / y_0])

15

Denuder theory:

The length of denuder required to obtain near complete capture of a reactive gas is a function of the diffusion rate of the reactive gas and the air sampling rate. For cylindrical tubes, with laminar flow and where the tube wall is a perfect sink for the gas of interest, Gormley & Kennedy (1949) and Ferm (1979) showed that the collection efficiency of a simple denuder for a reactive gas may be calculated using Equation 1.

$$\eta = 1 - \frac{\beta_1}{\beta_0} = 1 - 0.819 \cdot e^{-14.6272\delta} + 0.0976 \cdot e^{-89.22\delta} + 0.01896 \cdot e^{-212\delta} \quad (1)$$

where

- η is the collection efficiency of the denuder;
10 β_1 is the mass concentration of gas at the denuder outlet
 β_0 is the mass concentration of gas at the denuder inlet

δ is described by Equation 2:

$$\delta = \frac{\pi DL}{4\phi} \quad (2)$$

15 where

- D is the molecular diffusion coefficient of reactive gas, in cm^2/s
 L is effective length of the denuder, in cm
 ϕ is the air flow rate through the denuder, in cm^3/s .

For collection efficiencies $\geq 95\%$, contributions from terms 2 and 3 in Equation 1 are insignificant ($< 0.3\%$) and only the first term is significant. Equation 1 may then be simplified to Equations 3 and 4:

$$\eta = 1 - \frac{\beta_1}{\beta_0} = 1 - 0.819 \cdot e^{-14.6272 \left(\frac{\pi DL}{4\phi} \right)} \quad (3)$$

$$\frac{\beta_1}{\beta_0} = 0.819 e^{-14.6272 \left(\frac{\pi DL}{4\phi} \right)}, \quad \frac{\beta_1}{\beta_0} = 0.05 \text{ for } 95\% \text{ capture efficiency} \quad (4)$$

Laminar flow is achieved a short distance from the inlet. The minimum length of tube at inlet not coated with sorbent, L_{\min} to fully develop laminar flow is given by Equation 5.

$$25 \quad L_{\min} = 0.05 \cdot \text{Re} \cdot d \quad (5)$$

where

- Re is the Reynolds number
 d internal diameter of tube

30 An inlet length of 2.8 cm (uncoated Teflon tube: 10 mm o.d, 6.5 mm i.d) is used in the AGANet sampling train to develop laminar flow. Reynolds number must be < 2000 for laminar flow. The Reynolds number for this is calculated to be 86 (at flow rate = 0.4 LPM and internal tube diameter = 6.5 mm).

References:

- Durham, J.L., and Stockburger, L.: Nitric acid-air diffusion coefficient: Experimental determination. *Atmospheric Environment*, 20(3), 559-563, [https://doi.org/10.1016/0004-6981\(86\)90098-3](https://doi.org/10.1016/0004-6981(86)90098-3), 1986.
- 5 Ferm, M.: Method for determination of atmospheric ammonia. *Atmospheric Environment*, 13, 1385-1393, [https://doi.org/10.1016/0004-6981\(79\)90107-0](https://doi.org/10.1016/0004-6981(79)90107-0), 1979.
- Gormley, P. and Kennedy, M.: Diffusion from a stream flowing through a cylindrical tube. *Proc. Royal Irish Acad.*, 52, 163-169, 1949.
- Hargreaves, K. J., and Atkins, D.H.F.: The measurement of ammonia in the outdoor environment using passive diffusion tube samplers. Report AERE-R-12568. Harwell Laboratory, Didcot, OXON, UK, 1987.
- 10 Massman, W.J.: A review of the molecular diffusivities of H₂O, CO₂, CH₄, CO, O₃, SO₂, NH₃, N₂O, NO, and NO₂ in air, O₂ and N₂ near STP. *Atmospheric Environment* 32(6), 1111-1127, [https://doi.org/10.1016/S1352-2310\(97\)00391-9](https://doi.org/10.1016/S1352-2310(97)00391-9), 1998.
- Mumallah, M.A.: Hydrochloric acid diffusion coefficients at acid-fracturing conditions, *Journal of Petroleum Science and Engineering*. 15. 361-374. [https://doi.org/10.1016/0920-4105\(95\)00086-0](https://doi.org/10.1016/0920-4105(95)00086-0), 1986.
- 15 Tang, Y. S., Braban, C. F., Dragosits, U., Dore, A. J., Simmons, I., van Dijk, N., Poskitt, J., Pereira, M. G., Keenan, P. O., Conolly, C., Vincent, K., Smith, R. I., Heal, M. R. and Sutton, M. A.: Drivers for spatial, temporal and long-term trends in atmospheric ammonia and ammonium in the UK, *Atmospheric Chemistry and Physics*, 18, 705-733, <https://doi.org/10.5194/acp-18-705-2018>, 2018.